



INDUSTRY-LEADING ENERGY OFFER TO PROTECT ALL YOUR CRITICAL EQUIPMENT

Cenex® offers you an industry-leading lineup of lubricants engineered from the highest-quality ingredients to protect heavy-duty equipment and keep your fleet operation running smoothly.

We bring more than lubricant solutions to the table. We bring peace of mind. Our robust portfolio of lubricants is rigorously tested against the toughest standards to meet the relentless demands of your fleet vehicles in the harshest conditions.

We partner with top base oil and additive suppliers, ensuring high-quality lubricants that meet or exceed industry standards. And, as always, our Cenex product experts are ready to help whenever you need them, at the co-op or on the road.

MEETING ALL YOUR ENERGY NEEDS

Our expertise in lubricant blending, petroleum refining and propane supply translates in to a holistic, reliable and safe energy source for our customers. Cenex offers premium diesel fuels, including winterized formulas, that deliver power, performance and protection in the toughest conditions. We are also a leading supplier of clean, cost-effective propane with year-round reliable delivery to your shop.

We go beyond just energy products. Our team of experts provides tailored equipment solutions to help optimize shop space, improve efficiency and enhance safety for all your energy needs.

CHS DIFFERENTIATORS

#1	The cornerstone energy brand of the nation's largest ag cooperative			
90+	Years supplying precisely formulated energy products			
#97	On the 2025 Fortune 500 list of largest U.Sbased companies by revenue			
17	Cenex lubricant terminals throughout the Midwest			
25M	25M Capable of producing over 25 million gallons of lubricants annually			
2	ISO certified lubricant manufacturing and blending plants			
3x	All oil lubricants are triple-tested for quality and consistency			
2,000+	Miles of pipeline access, two refineries and availability of Cenex fuels at 140+ terminals			
920M+	Gallons of Cenex premium diesel fuels distributed to ag, construction and fleet customers			
150	Propane terminals in 44 states to help you plan your supply needs			




PERFORMANCE

ADDITIVES PRODUCTION

BASE OIL REFINING FACILITY

Our extensive production and distribution network moves millions of gallons of lubricants each year. Through two CHS-owned blending facilities and our distribution network, we provide bulk delivery, on-site solutions and packaged **products** to protect hardworking equipment.



ON THE ROAD

■ Local professionals at 700+ locations provide personal, local and consultative sales support across the wide range of our energy portfolio

Cenex offers a wide range of grades, pack sizes and bulk offerings to support specific fleet needs

PRODUCT COMPOSITION*









ENGINE

• Meets CK-4

protection

Standard wear

Standard oil durability

Cenex® HD



Improved oil durability

• Improved deposit/soot

OEM specs

protection

control

56% better wear



most OEM specs

in market

• 5-7x more shear stable


than other products

· Excellent oil durability

Improved deposit/soot








- Advanced wear protection
- Excellent oil consumption
- Excellent oil consumption

Maxtron® Enviro-EDGE® BEST





- Advanced deposit/soot control
- Superior cold weather performance
- Superior fuel economy benefits

TRANSMISSION

OEM specs

applications

• Used in heavy-duty

oxidation stability

Excellent thermal and







- TDTO, TO-4, meets most SAE 40 licensed Eaton PS-386, meets most OEM specs
 - Used in heavy-duty applications
 - Excellent thermal and oxidation stability
 - · Increased film strength Excellent wear protection and viscosity retention
- Meets Allison TES 295, exceeds OEM specs

Maxtron® All-Syn HD ATF

- Used in heavy-duty applications
- Outstanding stable frictional properties
- Increased film strength
- Excellent wear protection and viscosity
- Excellent cold temperature flow properties Superior cold temperature flow properties
- Licensed and approved for Allison TES 668, exceeds OEM specs

Maxtron® ATF SS8

- Used in light- and heavy-duty applications
- Outstanding stable frictional properties
- Increased film strength
- Advanced wear protection and viscosity retention
- Superior cold temperature flow properties

HYDRAULIC

Cenex® Hydraulic AW

- Data to support DIN51524, Part I and II
- Low-foaming tendency
- Rust and oxidation protection

Indol® BETTER

- High-oxidation stability
- Superior foam control
- Cleanliness (resists

- Excellent demulsibility

Indol® EH BETTER

- High-oxidation stability Superior foam control
- Excellent film strength Excellent cleanliness (resists sludge)

Indol® NZ BETTER+

- Zinc-free technology Superior foam control
- Outstanding shear stability
- Superior cleanliness (resists sludge)
- Outstanding rust and corrosion prevention

GREASE** ML 365®

· Resists the elements

CENEX PREMIUM

DIESEL FUELS

- Handles light-moderate loads
- Lithium 12 (simple lithium)

ON-ROAD

Lithium complex

- Handles extreme loads
- Excellent performance in cold and high temperatures

Blue Gard® 500+™/Red Protect XT®

- High dropping point
- Superior water washout resistance (Red Protect XT®)

BEST

Lithium complex

Maxtron® FS

- Handles extreme loads Superior performance in
- extreme temperatures
- High dropping point
- Superior durability

WINTERIZED











Lithium complex synthetic blend

• 3% moly

Maxtron® EP

- Superior resistance to wear from shock loading
- Superior rust and corrosion protection
- Calcium sulfonate complex
- 5% moly
- Extreme-duty applications

HD Moly Xtreme

- Superior extreme pressure properties (55 lb. Timken Load) Superior extreme pressure properties (60lb. Timken Load)
 - Excellent rust and corrosion protection
 - · Excellent resistance to water washout

DIFFERENTIAL



- GL-5, SAE-J2360
- Limited slip
- Good wear protection
- Maxtron® GL 75W-90/75W-140

- Excellent wear protection
- Good seal compatibility
- Excellent oil durability
- Superior cold weather performance

- Meets OEM specs
- Limited slip

- Eaton PS-163, exceeds OEM specs
 - Limited slip
 - Superior wear protection
 - Superior seal compatibility Superior oil durability
 - Superior cold weather performance

Maxtron® Enviro-EDGE® GL 75W-90

Lubricant recommendations vary based on equipment specifications. Please check the owner's manual or scan the QR code for the Cenex Equipment Lookup Tool



- *The "Good, Better, Better+, Best" system is a guideline to product composition and performance. Not all products follow this order. Full product specifications are available on cenex.com.
- **Grease points: upper and lower king pins, drag link, tie rod ends, slack adjusters, spring pins and shackles, fifth wheel plate, U-joints, suspension components and wheel hub bearings.

PRODUCT COMPOSITION*





Full Synthetic BEST

HYDRAULIC

Cenex® Hydraulic AW • Data to support DIN51524,

- Part I and II Low-foaming tendency
- Rust and oxidation protection
- High-oxidation stability Superior foam control

indol®

- Excellent demulsibility Cleanliness (resists sludge)
- High-oxidation stability
- Superior foam control · Excellent film strength

indol® EH

- Excellent cleanliness (resists sludge)
- Zinc-free technology

indol® NZ

- Superior foam control Outstanding shear stability
- Superior cleanliness (resists sludge)
- Outstanding rust and corrosion prevention

DIFFERENTIAL & AXLES

MP Gear Lube 80W-90/85W-140

- GL-5, SAE-J2360
- Limited slip
- Good wear protection

Maxtron® GL 75W-90/75W-140

Excellent wear protection

Meets OEM specs

Limited slip



- Limited slip
- Good seal compatibility
- Excellent oil durability
- Superior cold weather performance

Maxtron® Enviro-EDGE® GL 75W-90



- Superior wear protection
- Superior seal compatibility
- Superior oil durability
- Superior cold weather performance













- Licensable to CK-4 • CK-4, meets some
- Standard wear protection
- Standard oil durability
- OEM specs • 56% better wear
- protection
 - Improved deposit/soot
- CK-4/FA-4, meets most OEM specs
- 5-7x more shear stable than other products in market
- Improved oil durability
 Excellent oil durability Improved deposit/soot control
 - Excellent oil consumption
- CK-4, exceeds OEM specs
- Advanced wear protection
- Superior oil durability
- Advanced deposit/soot control
- Diminished oil consumption
- Superior cold weather performance
- Superior fuel economy benefits

LANDING GEAR

Maxtron® GL 75W-90/75W-140

- Meets OEM specs
- Limited slip

[50] · · · · [50]

60 00

- Good seal compatibility
- Excellent oil durability

(Red Protect XT®)

• Excellent wear protection • Superior cold weather performance

Fluid Gear Grease

- Multi-purpose #00 grade lithium-based
- Excellent wear protection
- Reduced oil separation during storage and inactivity
- Excellent resistance to water washout
- Excellent cold weather performance

GREASE***

ML 365 [®] good	Blue Gard® 500+™, Red Protect XT® BETTER	Maxtron® FS BEST
• Lithium 12 (simple lithium)	Lithium complex	Lithium complex
Handles light-moderate loads	Handles extreme loads	 Handles extreme loads
Resists the elements	 Excellent performance in cold and high temperatures 	 Superior performance in extreme temperatures
	High dropping point	 High dropping point
	Superior water washout resistance	 Superior durability

Lubricant recommendations vary based on equipment specifications. Please check the owner's manual or scan the QR code for the Cenex Equipment Lookup Tool



- *The "Good, Better, Better+, Best" system is a guideline to product composition and performance. Not all products follow this order. Full product specifications are available on cenex.com.
- **Refrigerant: Use OEM-recommended fluid
- ***Grease points: spring pins and shackles, U-joints, suspension components and wheel hub bearings.



Optimize operations

Peace of mind

Work with your local sales representative to

order energy equipment.

DOUBLE-STACK TANKS

- Easily monitor fluid levels
- Distinguish between fluids
- Space-saving, stackable design
- Increase shop organization
- Minimize safety hazards and contamination risks
- Supports bulk product purchasing

BULK FUEL TANK

- Convenience of having bulk fuel stored on site
- Avoid costly and less efficient fueling alternatives
- Offers flexible buying options

FLUID MANAGEMENT SYSTEM

- Provides lubricant consumption data at your fingertips
- Helps with better decision-making
- Precision dispensing capabilities
- Improves workflow and efficiency

Supports bulk fluid purchasing

PREMIUM DIESEL FUEL SOLUTIONS

Cenex® premium diesel fuels are precisely formulated with a terminally injected additive package for optimal power, performance and protection.

- Improve engine performance with a total water management system
- Keep engines running cleaner longer with an advanced, aggressive detergency package
- Protect equipment from contaminants with exceptional filterability
- Improve power and fuel efficiency through a more complete fuel burn

More effective at breaking down harmful engine deposits¹

Reduced filter blocking²

Lower exhaust cylinder temperature deviations

PROPANE SOLUTIONS

CHS Propane is a clean energy solution for all your heating and power needs; combining efficiency, performance and safety.

- On-site propane storage ensures reliable, steady energy supply to your home, farm or shop operations
- Virtually unlimited shelf life that will not degrade over time
- Propane and renewable propane lower carbon emissions while meeting your energy needs
- Propane's portability makes it ideal for heating remote locations

¹ In comparison to the previous generation of Cenex® premium diesel fuel.

² In comparison to typical #2 diesel

PROTECT YOUR FLEET WITH TOUGH, DURABLE LUBRICANTS

Your business depends on getting people and goods to their destination—and on time. Unplanned maintenance isn't an option, and unexpected breakdowns put your deliveries and drivers at risk. Engineered to meet or exceed stringent original equipment manufacturer (OEM) requirements, Cenex® lubricants are formulated with the highest-quality base oils and a uniquely balanced additive system in ISO certified plants, then triple-tested to ensure quality and consistency.



OEM LUBRICANT SPECIFICATIONS

While OEMs may recommend specific lubricant brands (often their own), according to the **Magnuson Moss Act**, as long as you are following OEM standards, regardless of brand, you do not need to use your equipment manufacturer's fluids. Cenex fluids are designed to meet equipment manufacturer's specifications.

CENEX EQUIPMENT LOOKUP TOOL

Doing some research online? The Cenex Equipment Lookup Tool makes it easy to match fleet vehicle OEM specifications with the appropriate Cenex product. All data is third-party validated to give you confidence in selecting the right products for your fleet. Use this tool to find engine oil, transmission fluid, gear oil, hydraulic fluid and grease for your fleet vehicles.

BENEFITS:

Diagnoses the oil's condition

REFINED FUELS SAMPLE KITS

the nozzle to fill up your equipment.

LUBESCAN® USED OIL ANALYSIS

- Helps indicate contamination
- Determines optimal drain intervals
- Helps proactively identify problems
- Performing regular used oil analysis creates a condition baseline for equipment

enables you to run a regular oil analysis on your vehicles.





LubeScan® used oil analysis and refined fuels sample kits

Available to order through your local Cenex sales representative.

Refined fuels sample kits are an inexpensive way to understand the quality of your

fuel and key for proper tank maintenance. Periodic sampling and being proactive,

helps avoid costly downtime and gives peace of mind the next time you reach for

An oil analysis is a blood test for your engine, giving you a quick read on the

health of the entire vehicle and an early alert to impending problems. LubeScan®

ENERGY SOLUTIONS FOR:

CENEX.

This guide will help you determine energy products needed to optimize the power and performance of your fleet vehicles.

	GOOD	BETTER/BETTER+	BEST	INTERESTED VOLUME?
ENGINE	Cenex [®] HD	Superlube TMS® Maxtron® DEO (BETTER+)	Maxtron® Enviro-EDGE®	
TRANSMISSION	Cenex® Power Transmission Fluid		Maxtron® MT Maxtron® AII-Syn HD ATF Maxtron® ATF SS8	
HYDRAULICS	Cenex® Hydraulic AW	Indol® Indol® EH Indol® NZ (BETTER+)		
DIFFERENTIALS	MP Gear Lube	Maxtron® GL	Maxtron [®] Enviro-EDGE [®] GL	
GREASE	ML 365® HD Moly Xtreme	Blue Gard [®] 500+ [™] Red Protect XT [®] Maxtron [®] EP	Maxtron® FS	
CENEX PREMIUM DIESEL FUELS	☐ Cenex Roadmaster XL® ☐ Cenex® Ruby Fieldmaster®	INTERESTED VOLUME?	CHS PROPANE INTERESTED VOLUME?	

ENERGY EQUIPMENT NEEDS:

The "Good, Better, Better, Best" system is a guideline to product composition and performance. Not all products follow this order. Full product specifications are available on cenex.com.









 $$\otimes 2025$$ CHS Inc. Cenex $$^{\circ}$$ is a registered trademark of CHS Inc.